Siesta-CRXE Weekly Heating Chrono



Daily and weekly chronothermostat for heating only, allows programming by blocks, complies with ErP class IV (2%), can be selected all/nothing or modulating action in time. It also incorporates shutdown in case of window opening detection. Battery-powered wire connection.

Advanced management in on/off processes boiler that provide considerable savings and increased efficiency, up to 30% savings off others market thermostats

Technical Characteristics

- Friendly
- Automatic adjustment displacement schedule summer / winter
- Turn on and Run. Factory program, with the possibility to modify parameters (temperature and time)
- 5-button keypad
- Key Start / Stop. Keeps the antifreeze function 🗟
- Contact status indication heating | / antifreeze |
- 6 independent programming changes for each day
- Operation program 5 +2 days (standard); 7 days with the same programming
- Antifreeze function
- Manual operation, cancel temporarily program
- Heating
- Internal temperature sensor with a range of settings from 5 to 35°C
- Temperature in °C (Celsius) or °F (Fahrenheit)
- Diferential 0,5°K
- Thermostat suitable for universal box
- Power supply 2 batteries x 1.5V AAA, alkaline
- Maintains program in memory, even without batteries
- Notice of change of batteries
- Potential free changeover relay 8 Amps
- Dimensions 100 x 80 x 20 mm
- Relay action selectable between all/nothing or time modulating.
- ErP class IV (2%)
- Ecodesign Compliant EU2015/1188




Factory Program:

	Day Monday to Friday		Weekend	
Time interval	Hour	Temperature	Hour	Temperature
1	06:00	21ºC	06:00	21ºC
2	08:00	17ºC	08:00	19ºC
3	12:00	21ºC	12:00	19ºC
4	15:00	17ºC	15:00	19ºC
5	18:00	21ºC	18:00	21ºC
6	22:00	15ºC	23:00	15ºC

These parameters can be modified, it is an example

Wiring diagram:



Note: Calefacción=Heating; Refrigeración= Refrigeration

Model	Code	Description
Siesta-CRXE	29.067	Weekly Heating Chrono

All rights reserved and contents of this document. Forbidden any reproduction in whole or part of this publication in any form without prior written permission from SONDER REGULACION S.A. The graphics and information herein are approximate and may include technical inaccuracies or typographical errors. SONDER REGULACION, S.A. reserves the right to modify this document without notice. Performance, design and typesetting: SONDER REGULACION, S.A.